

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

Welcome
United States Patent and Trademark Office

» Adva

Help | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**[Help](#)

1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)

2) Limit your search by using search operators and field codes, if desired.

Example: optical <and> (fiber <or> fibre) <in> ti

3) Limit the results by selecting Search Options.

4) Click Search. See [Search Examples](#)

handwrit* <paragraph>
address <paragraph> mail

Start Search

Clear

Note: This function returns plural and suffixed forms of the keyword(s).

Search operators: <and> <or> <not> <in> [More](#)

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)

Search Options:

Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

Select years to search:

From year: to

Organize search results by:

Sort by:

In: order

List Results per page

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

Welcome
United States Patent and Trademark Office

» Se.

Help | FAQ | Terms | IEEE Peer Review

Quick Links

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **43** of **1074479** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

handwrit* <paragraph> address <paragraph> mail

Search

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Lexicon-driven segmentation and recognition of handwritten character strings for Japanese address reading***Cheng-Lin Liu; Koga, M.; Fujisawa, H.;*

Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 24 , Issue: 11 , Nov 2002

Pages:1425 - 1437

[\[Abstract\]](#) [\[PDF Full-Text \(426 KB\)\]](#) IEEE JNL**2 An adaptive approach to offline handwritten word recognition***Park, J.;*

Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 24 , Issue: 7 , July 2002

Pages:920 - 931

[\[Abstract\]](#) [\[PDF Full-Text \(803 KB\)\]](#) IEEE JNL**3 A fuzzy logic system for the detection and recognition of handwritten street numbers***Gader, P.; Keller, J.M.; Cai, J.;*

Fuzzy Systems, IEEE Transactions on , Volume: 3 , Issue: 1 , Feb. 1995

Pages:83 - 95

[\[Abstract\]](#) [\[PDF Full-Text \(1164 KB\)\]](#) IEEE JNL**4 Postal address block location in real time**

Palumbo, P.W.; Srihari, S.N.; Soh, J.; Sridhar, R.; Demjanenko, V.;
 Computer , Volume: 25 , Issue: 7 , July 1992
 Pages:34 - 42

[Abstract] [PDF Full-Text (772 KB)] IEEE JNL

5 Classification of machine-printed and handwritten addresses on Ko mail piece images using geometric features

Seung Ick Jang; Seon Hwa Jeong; Yun-Seok Nam;

Pattern Recognition, 2004. ICPR 2004. Proceedings of the 17th International Conference on , Volume: 2 , Aug. 23-26, 2004
 Pages:383 - 386

[Abstract] [PDF Full-Text (243 KB)] IEEE CNF

6 An experimental HMM-based postal OCR system

Kornai, A.;

Acoustics, Speech, and Signal Processing, 1997. ICASSP-97., 1997 IEEE International Conference on , Volume: 4 , 21-24 April 1997
 Pages:3177 - 3180 vol.4

[Abstract] [PDF Full-Text (372 KB)] IEEE CNF

7 Generalized contextual recognition of hand-printed documents using semantic trees with lazy evaluation

Du, L.; Downton, A.C.; Lucas, S.M.; Al-Badr, B.;

Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on , Volume: 1 , 18-20 Aug. 1997
 Pages:238 - 242 vol.1

[Abstract] [PDF Full-Text (388 KB)] IEEE CNF

8 Handwritten ZIP code recognition

Dzuba, G.; Filatov, A.; Volgunin, A.;

Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on , Volume: 2 , 18-20 Aug. 1997
 Pages:766 - 770 vol.2

[Abstract] [PDF Full-Text (432 KB)] IEEE CNF

9 Fast address block location on handwritten and machine printed mail piece images

Wolf, M.; Niemann, H.; Schmidt, W.;

Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on , Volume: 2 , 18-20 Aug. 1997
 Pages:753 - 757 vol.2

[Abstract] [PDF Full-Text (952 KB)] IEEE CNF

10 Integration of hand-written address interpretation technology into United States Postal Service Remote Computer Reader system

Srihari, S.N.; Kuebert, E.J.;

Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on , Volume: 2 , 18-20 Aug. 1997
Pages:892 - 896 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(476 KB\)\]](#) [IEEE CNF](#)

11 Machine and human recognition of segmented characters from handwritten words

Kimura, F.; Kayahara, N.; Miyake, Y.; Shridhar, M.;

Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on , Volume: 2 , 18-20 Aug. 1997
Pages:866 - 869 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(288 KB\)\]](#) [IEEE CNF](#)

12 Unconstrained Japanese address recognition using a combination of spatial information and word knowledge

Ishidera, E.; Nishiwaki, D.; Yamada, J.;

Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on , Volume: 2 , 18-20 Aug. 1997
Pages:1016 - 1022 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(600 KB\)\]](#) [IEEE CNF](#)

13 Multi-attribute lexicon generation by hyperlinked embedded access structure

Wen-Jann Yang; Sridhar, R.; Palumbo, P.;

Database Engineering and Applications Symposium, 1997. IDEAS '97. Proceedings., International , 25-27 Aug. 1997
Pages:299 - 306

[\[Abstract\]](#) [\[PDF Full-Text \(656 KB\)\]](#) [IEEE CNF](#)

14 Analysis of address layout on Japanese handwritten mail-a hierarchical process of hypothesis verification

Nakajima, N.; Tsuchiya, T.; Kamimura, T.; Yamada, K.;

Pattern Recognition, 1996., Proceedings of the 13th International Conference on , Volume: 3 , 25-29 Aug. 1996
Pages:726 - 731 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(508 KB\)\]](#) [IEEE CNF](#)

15 Postal address block location by contour clustering

Govindaraju, V.; Tulyakov, S.;

Document Analysis and Recognition, 2003. Proceedings. Seventh International Conference on , 3-6 Aug. 2003
Pages:429 - 432 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(422 KB\)\]](#) [IEEE CNF](#)

[1](#) [2](#) [3](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

Welcome
United States Patent and Trademark Office

» Se.

Help FAQ Terms IEEE Peer Review

Quick Links

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **43** of **1074479** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

handwrit* <paragraph> address <paragraph> mail

Search

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**16 Automatic handwriting recognition and writer matching on anthracite related handwritten mail***Srihari, S.N.; Lee, S.;*Frontiers in Handwriting Recognition, 2002. Proceedings. Eighth International Workshop on , 6-8 Aug. 2002
Pages:280 - 284[\[Abstract\]](#) [\[PDF Full-Text \(592 KB\)\]](#) IEEE CNF**17 Recognition of handwritten foreign mail***Tomai, C.; Allen, K.M.; Srihari, S.N.;*Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on , 10-13 Sept. 2001
Pages:882 - 886[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) IEEE CNF**18 Lexicon-driven handwritten character string recognition for Japanese address reading***Cheng-Lin Liu; Koga, M.; Fujisawa, H.;*Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on , 10-13 Sept. 2001
Pages:877 - 881[\[Abstract\]](#) [\[PDF Full-Text \(440 KB\)\]](#) IEEE CNF

19 Adaptation of an address reading system to local mail streams*Brakensiek, A.; Rottland, J.; Wallhoff, F.; Rigoll, G.;*

Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on , 10-13 Sept. 2001

Pages:872 - 876

[\[Abstract\]](#) [\[PDF Full-Text \(408 KB\)\]](#) IEEE CNF**20 Analysis of postal address fields for efficient encoding of Korean n pieces***Gyeonghwan Kim; Seokgoo Lee; Miyoung Shin; Yun Seok Nam;*

Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on , 10-13 Sept. 2001

Pages:675 - 679

[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) IEEE CNF**21 A candidate reduction method for handwritten Kanji character recognition***Ishidera, E.; Sato, A.;*

Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on , 10-13 Sept. 2001

Pages:8 - 13

[\[Abstract\]](#) [\[PDF Full-Text \(400 KB\)\]](#) IEEE CNF**22 Destination address block location on handwritten Chinese envelope***Junliang Xue; Xiaoqing Ding; Changsong Liu; Shiyan Pan; Hongwei Kong;*

Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conference on , 20-22 Sept. 1999

Pages:737 - 740

[\[Abstract\]](#) [\[PDF Full-Text \(256 KB\)\]](#) IEEE CNF**23 Parsing and recognition of city, state, and ZIP codes in handwritten addresses***Mahadevan, U.; Srihari, S.N.;*

Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conference on , 20-22 Sept. 1999

Pages:325 - 328

[\[Abstract\]](#) [\[PDF Full-Text \(80 KB\)\]](#) IEEE CNF**24 A new method of character line extraction from mixed-unformatted document image for Japanese mail address recognition***Xian Wang; Tsutsumida, T.;*

Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conference on , 20-22 Sept. 1999

Pages:769 - 772

[\[Abstract\]](#) [\[PDF Full-Text \(156 KB\)\]](#) IEEE CNF

25 Empirical design of a holistic verifier for automatic sorting of handwritten Singapore postal addresses

Chin Keong Lee; Leedham, G.;

Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conference on , 20-22 Sept. 1999

Pages:733 - 736

[\[Abstract\]](#) [\[PDF Full-Text \(64 KB\)\]](#) [IEEE CNF](#)

26 Recognition of handwritten Chinese postal address using neural networks

Yih-Ming Su; Jhing-Fa Wang;

Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE International Symposium on , Volume: 3 , 31 May-3 June 1998

Pages:25 - 28 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(624 KB\)\]](#) [IEEE CNF](#)

27 A system for cursive handwritten address recognition

Jinchang Mao; Sinha, P.; Mohiuddin, K.;

Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on , Volume: 2 , 16-20 Aug. 1998

Pages:1285 - 1287 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(40 KB\)\]](#) [IEEE CNF](#)

28 A probabilistic approach to automatic handwritten address reading

Bertille, J.-M.; Gilloux, M.;

Document Analysis and Recognition, 1995., Proceedings of the Third International Conference on , Volume: 1 , 14-16 Aug. 1995

Pages:368 - 371 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(364 KB\)\]](#) [IEEE CNF](#)

29 Handwritten address interpretation using word recognition with a without lexicon

Shridhar, M.; Kimura, F.;

Systems, Man and Cybernetics, 1995. 'Intelligent Systems for the 21st Century' IEEE International Conference on , Volume: 3 , 22-25 Oct. 1995

Pages:2341 - 2346 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(552 KB\)\]](#) [IEEE CNF](#)

30 Handwritten ZIP code recognition using lexicon free word recognition algorithm

Kimura, F.; Miyake, Y.; Shridhar, M.;

Document Analysis and Recognition, 1995., Proceedings of the Third International Conference on , Volume: 2 , 14-16 Aug. 1995

Pages:906 - 910 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(492 KB\)\]](#) **IEEE CNF**

Prev 1 2 3 Next

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online](#)
[Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

Welcome
United States Patent and Trademark Office

» Se.

Help FAQ Terms IEEE Peer Review

Quick Links

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **43** of **1074479** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

handwrit* <paragraph> address <paragraph> mail

Search

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

31 Base line correction for handwritten word recognition

Tsuruoka, S.; Watanabe, N.; Minamide, N.; Kimura, F.; Miyake, Y.; Shridhar, Document Analysis and Recognition, 1995., Proceedings of the Third International Conference on , Volume: 2 , 14-16 Aug. 1995
 Pages:902 - 905 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(320 KB\)\]](#) IEEE CNF

32 Location of name and address on fax cover pages

Jenchyou Lii; Srihari, S.N.; Document Analysis and Recognition, 1995., Proceedings of the Third International Conference on , Volume: 2 , 14-16 Aug. 1995
 Pages:756 - 759 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(448 KB\)\]](#) IEEE CNF

33 An elastic matching approach applied to digit recognition

Bertille, J.-M.; Document Analysis and Recognition, 1993., Proceedings of the Second International Conference on , 20-22 Oct. 1993
 Pages:82 - 83

[\[Abstract\]](#) [\[PDF Full-Text \(320 KB\)\]](#) IEEE CNF

34 Interpretation of handwritten addresses in US mailstream

Srihari, S.N.; Govindaraju, V.; Shekhawat, A.;

Document Analysis and Recognition, 1993., Proceedings of the Second International Conference on , 20-22 Oct. 1993
Pages:291 - 294

[\[Abstract\]](#) [\[PDF Full-Text \(364 KB\)\]](#) [IEEE CNF](#)

35 **Improvements of a lexicon directed algorithm for recognition of unconstrained handwritten words**

Kimura, F.; Shridhar, M.; Chen, Z.;

Document Analysis and Recognition, 1993., Proceedings of the Second International Conference on , 20-22 Oct. 1993
Pages:18 - 22

[\[Abstract\]](#) [\[PDF Full-Text \(372 KB\)\]](#) [IEEE CNF](#)

36 **Automatic sorting of Australian handwritten letter mail using OCR address feature verification**

Leedham, C.G.; Jones, P.E.;

TENCON '92. Technology Enabling Tomorrow : Computers, Communications & Automation towards the 21st Century. 1992 IEEE Region 10 International Conference. , 11-13 Nov. 1992
Pages:287 - 291 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) [IEEE CNF](#)

37 **Automatic interpretation of Dutch addresses**

Kalberg, R.J.N.; Quint, G.H.; Scholten, H.;

Pattern Recognition, 1992. Vol.II. Conference B: Pattern Recognition Methods and Systems, Proceedings., 11th IAPR International Conference on , 30 Aug.-Sept. 1992
Pages:367 - 370

[\[Abstract\]](#) [\[PDF Full-Text \(312 KB\)\]](#) [IEEE CNF](#)

38 **Image recognition with an analog neural net chip**

Graf, H.P.; Nohl, C.R.; Ben, J.;

Pattern Recognition, 1992. Vol. IV. Conference D: Architectures for Vision and Pattern Recognition, Proceedings., 11th IAPR International Conference on , 31 Aug.-3 Sept. 1992
Pages:11 - 14

[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) [IEEE CNF](#)

39 **A multi-resolution approach to extract the address block on flat mail pieces**

Viard-Gaudin, C.; Barba, D.;

Acoustics, Speech, and Signal Processing, 1991. ICASSP-91., 1991 International Conference on , 14-17 April 1991
Pages:2701 - 2704 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(544 KB\)\]](#) [IEEE CNF](#)

40 **Recognition and verification of postcodes in handwritten and hand printed addresses**

Kabir, E.; Downton, A.C.; Birch, R.;
Pattern Recognition, 1990. Proceedings., 10th International Conference on , Volume: i , 16-21 June 1990
Pages:469 - 473 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(488 KB\)\]](#) [IEEE CNF](#)

41 **A blackboard-based approach to handwritten ZIP code recognition**

Hull, J.J.; Srihari, S.N.; Cohen, E.; Kuan, L.; Cullen, P.; Palumbo, P.;
Pattern Recognition, 1988., 9th International Conference on , 14-17 Nov. 1988
Pages:111 - 113 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(232 KB\)\]](#) [IEEE CNF](#)

42 **A computationally efficient technique for discriminating between handwritten and printed text**

Violante, S.; Smith, R.; Reiss, M.;
Document Image Processing and Multimedia Environments, IEE Colloquium on Nov 1995
Pages:17/1 - 17/7

[\[Abstract\]](#) [\[PDF Full-Text \(264 KB\)\]](#) [IEE CNF](#)

43 **Automated recognition of handwritten addresses on mail-pieces**

Miletzki, U.E.; Uebel, W.; Schulte-Hinsken, S.;
Handwriting Analysis and Recognition: A European Perspective, IEE European Workshop on , 12-13 Jul 1994
Pages:19/1 - 19/9

[\[Abstract\]](#) [\[PDF Full-Text \(332 KB\)\]](#) [IEE CNF](#)

[Prev](#) [1](#) [2](#) [3](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

L Number	Hits	Search Text	DB	Time stamp
1	100	(382/314).CCLS.	USPAT; US-PGPUB; IBM TDB	2004/09/24 15:44
-	186	(382/101).CCLS.	USPAT; US-PGPUB; IBM TDB	2004/09/22 11:39
-	50	((382/101).CCLS.) and handwrit\$4	USPAT; US-PGPUB; IBM TDB	2004/09/22 11:45
-	11	((382/101).CCLS.) and (handwrit\$4 same graph\$4)	USPAT; US-PGPUB; IBM TDB	2004/09/22 11:48
-	1280	(handwrit\$4 same graph\$4)	USPAT; US-PGPUB; IBM TDB	2004/09/22 11:48
-	335	((handwrit\$4 same graph\$4)) same pen	USPAT; US-PGPUB; IBM TDB	2004/09/22 11:48
-	20	((handwrit\$4 same graph\$4)) same pen) same mail	USPAT; US-PGPUB; IBM TDB	2004/09/22 14:24
-	0	"09986678"	USPAT; US-PGPUB; IBM TDB	2004/09/22 14:25
-	1	"09/986678"	USPAT; US-PGPUB; IBM TDB	2004/09/22 14:25
-	1	"09/986678" and graph\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 09:49
-	453	coordinat\$4 same handwrit\$4 same pen	USPAT; US-PGPUB; IBM TDB	2004/09/22 14:28
-	96	(coordinat\$4 same handwrit\$4 same pen) same sequenc\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:19
-	6	((coordinat\$4 same handwrit\$4 same pen) same sequenc\$4) same decod\$4	USPAT; US-PGPUB; IBM TDB	2004/09/22 14:32
-	109	address same handwrit\$6 same digita\$5	USPAT; US-PGPUB; IBM TDB	2004/09/22 14:33
-	118	address\$5 same handwrit\$6 same digita\$5	USPAT; US-PGPUB; IBM TDB	2004/09/22 15:49
-	11110	position same cod\$4 same pattern	USPAT; US-PGPUB; IBM TDB	2004/09/22 15:50
-	1216	(position same cod\$4 same pattern) same (writ\$4 handwrit\$5)	USPAT; US-PGPUB; IBM TDB	2004/09/22 15:50
-	379	((position same cod\$4 same pattern) same (writ\$4 handwrit\$5)) same address	USPAT; US-PGPUB; IBM TDB	2004/09/22 15:51
-	11	((position same cod\$4 same pattern) same (writ\$4 handwrit\$5)) same address) same pen	USPAT; US-PGPUB; IBM TDB	2004/09/22 17:05
-	1	("5852434").PN.	USPAT; US-PGPUB; IBM TDB	2004/09/22 16:53
-	4	"09/813114"	USPAT; US-PGPUB; IBM TDB	2004/09/22 16:54
-	4	"09/813114" and graph\$4	USPAT; US-PGPUB; IBM TDB	2004/09/22 17:03
-	0	"09/813114" and (sequenc\$4 near5 coordinat\$4)	USPAT; US-PGPUB; IBM TDB	2004/09/22 17:04

-	1	"09/813114" and (sequenc\$4 same coordinat\$4)	USPAT; US-PGPUB; IBM_TDB	2004/09/22 17:04
-	6	((coordinat\$4 same handwrit\$4 same pen) same sequenc\$4) and (graph same handwrit\$4)	USPAT; US-PGPUB; IBM_TDB	2004/09/22 17:05
-	0	"2002/0000981"	USPAT; US-PGPUB; IBM_TDB	2004/09/23 09:50
-	1	"20020000981" and sequenc\$4	USPAT; US-PGPUB; IBM_TDB	2004/09/23 14:58
-	0	"20020000981" and remot\$4	USPAT; US-PGPUB; IBM_TDB	2004/09/23 09:58
-	0	"20020000981" and wierless	USPAT; US-PGPUB; IBM_TDB	2004/09/23 09:58
-	0	"20020000981" and phon\$4	USPAT; US-PGPUB; IBM_TDB	2004/09/23 09:59
-	0	"20020000981" and modem	USPAT; US-PGPUB; IBM_TDB	2004/09/23 09:59
-	1	"20020000981" and line	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:10
-	1	"20020000981" and print\$4	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:11
-	1	"20020000981" and appl\$5	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:15
-	1	"20020000981" and input\$5	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:38
-	0	"20020000981" and lable	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:39
-	1	"20020000981" and send\$5	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:44
-	310	mrx	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:44
-	0	mrx near5 print\$\$	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:44
-	4	mrx same print\$\$	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:45
-	1	print\$4 same lable same mail	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:46
-	186	(382/101).CCLS.	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:46
-	33	((382/101).CCLS.) and (graph\$4 same mail)	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:52
-	1	("5852434").PN.	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:52
-	1	((("5852434").PN.) and print\$4	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:54
-	1	((("5852434").PN.) and surface	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:54
-	0	((("5852434").PN.) and mail	USPAT; US-PGPUB; IBM_TDB	2004/09/23 10:55

-	414	mail same print\$4 same address same item	USPAT; US-PGPUB; IBM TDB	2004/09/23 10:56
-	4	(mail same print\$4 same address same item) same pen	USPAT; US-PGPUB; IBM TDB	2004/09/23 10:57
-	885	(345/179).CCLS.	USPAT; US-PGPUB; IBM TDB	2004/09/23 10:58
-	734	((345/179).CCLS.) and pen	USPAT; US-PGPUB; IBM TDB	2004/09/23 10:58
-	68	((345/179).CCLS.) and pen) and mail	USPAT; US-PGPUB; IBM TDB	2004/09/23 10:58
-	49	((345/179).CCLS.) and pen) and mail) and print\$\$	USPAT; US-PGPUB; IBM TDB	2004/09/23 10:58
-	49	((345/179).CCLS.) and pen) and mail) and print\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:05
-	82	(handwritt\$4 writ\$4) same represent\$4 same graph same address	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:17
-	75	print\$4 near7 lable	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:10
-	0	print\$4 same lable same mail same address	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:10
-	452	print\$4 same label same mail same address	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:12
-	4	(print\$4 same label same mail same address) same pen	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:11
-	50	(print\$4 same label same mail same address) same item	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:17
-	28	(handwritt\$4 writ\$4) near7 graph near7 address	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:18
-	96	(coordinat\$4 same handwrit\$4 same pen) same sequenc\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:20
-	53	((coordinat\$4 same handwrit\$4 same pen) same sequenc\$4) and print\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:20
-	10	((coordinat\$4 same handwrit\$4 same pen) same sequenc\$4) same print\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:33
-	2	(print\$4 near7 address near7 item near7 mail) same handwritten	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:34
-	44	print\$4 near7 address near7 item near7 mail	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:36
-	0	"20020000981" and hard	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:36
-	1	"20020000981" and print\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:22
-	512	print\$4 same cod\$4 same pattern same address	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:39
-	1	("6081261").PN.	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:40
-	1	((("6081261").PN.) and print\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 11:40

-	72	(270/1.02).CCLS.	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:22
-	0	((270/1.02).CCLS.) and (print\$4 same address same pen)	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:23
-	29	((270/1.02).CCLS.) and (print\$4 same address)	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:29
-	1	((("5852434").PN.) and handwritt\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:25
-	0	((270/1.02).CCLS.) and (print\$4 same address)) and handwritt\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:25
-	1	((270/1.02).CCLS.) and (print\$4 same address)) and pen	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:25
-	18	((270/1.02).CCLS.) and (print\$4 same address)) and (magazine newspaper)	USPAT; US-PGPUB; IBM TDB	2004/09/23 14:20
-	287	(advertisment newspaper magazine) same print\$4 same mail\$5 same address\$3	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:36
-	1	((advertisment newspaper magazine) same print\$4 same mail\$5 same address\$3) same handwritt\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:36
-	145	((advertisment newspaper magazine) same print\$4 same mail\$5 same address\$3) and pen	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:37
-	1	((advertisment newspaper magazine) same print\$4 same mail\$5 same address\$3) and pen) and (coordinat\$4 near5 sequenc\$4)	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:38
-	1	("5114128").PN.	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:41
-	1	((("5114128").PN.) and (print\$4 same address))	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:41
-	970	position near4 cod\$4 near4 pattern	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:45
-	124	(position near4 cod\$4 near4 pattern) same address	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:45
-	14	((position near4 cod\$4 near4 pattern) same address) same mail\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:54
-	4	print\$4 same (sequenc\$3 near2 coordinat\$3) same handwritten	USPAT; US-PGPUB; IBM TDB	2004/09/23 13:55
-	3	print\$4 same (sequenc\$4 near4 coordinat\$4) same mail\$4	USPAT; US-PGPUB; IBM TDB	2004/09/23 14:23
-	161	print\$4 same (sequenc\$4 near4 coordinat\$4)	USPAT; US-PGPUB; IBM TDB	2004/09/23 14:24
-	55	(print\$4 same (sequenc\$4 near4 coordinat\$4)) and address	USPAT; US-PGPUB; IBM TDB	2004/09/23 14:24
-	13	((print\$4 same (sequenc\$4 near4 coordinat\$4)) and address) and (advertis\$6 magazin\$3 newspaper)	USPAT; US-PGPUB; IBM TDB	2004/09/23 15:02
-	0	"20020000981" and (sequenc\$4 near5 coordinat\$4)	USPAT; US-PGPUB; IBM TDB	2004/09/23 14:58
-	0	"20020000981" and (sequenc\$4 near7 coordinat\$4)	USPAT; US-PGPUB; IBM TDB	2004/09/23 14:59
-	1	"20020000981" and (coordinat\$4)	USPAT; US-PGPUB; IBM TDB	2004/09/23 14:59

-	1	"20020000981" and (sequenc\$4 same coordinat\$4)	USPAT; US-PGPUB; IBM_TDB	2004/09/23 15:17
-	13	((print\$4 same (sequenc\$4 near4 coordinat\$4)) and address) and (advertis\$6 magazin\$3 newspaper)) and (sequenc\$4 near5 coordinat\$4)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 15:10
-	1	"20030061188"	USPAT; US-PGPUB; IBM_TDB	2004/09/23 15:11
-	1	"20030061188" and advertis\$4	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 15:12
-	1	"20030061188" and (address same sequenc\$4 same coordinat\$4)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 15:13
-	1	"09/986678"	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 15:17
-	1	"09/986678" and (sequenc\$4 near5 coordinat\$4)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 15:38
-	7	(print\$4 apply\$4) same (sequenc\$3 near4 coordinat\$4) same (mail envelope magazine advertis\$4 newspaper)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 15:44
-	124	(position near4 cod\$4 near4 pattern) same print\$4	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 15:57
-	14	(print\$4 apply\$4) same (sequenc\$3 near4 coordinat\$4 or ((position near4 cod\$4 near4 pattern) same print\$4)) same (mail envelope magazine advertis\$4 newspaper)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 15:46
-	8	(print\$4 apply\$4) same (((position near4 cod\$4 near4 pattern) same print\$4)) same (mail envelope magazine advertis\$4 newspaper)	USPAT; US-PGPUB; IBM_TDB	2004/09/23 15:46
-	1	(position near4 cod\$4 near4 pattern) same print\$4 same envelope	USPAT; US-PGPUB; IBM_TDB	2004/09/23 15:54
-	81	(position near4 cod\$4 near4 pattern) near5 print\$4	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:33
-	1723	print\$4 with address with (mail magazine newspaper advertis\$4)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:34
-	0	(print\$4 with address with (mail magazine newspaper advertis\$4)) same (sequenc\$4 near4 cooredinat)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:34
-	2	(print\$4 with address with (mail magazine newspaper advertis\$4)) same (sequenc\$4 near4 coordinat\$3)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:51
-	1	("2000947").PN.	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:42
-	1	("20010038349").PN.	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:49
-	0	print\$4 near5 address near4 "on" near4 envelope	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:50
-	3647	print\$4 same address\$3 same (label envelope)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:51
-	10	(print\$4 same address\$3 same (label envelope)) and (sequenc\$4 near4 coordinat\$3)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:56
-	543	print\$4 near4 (address near3 label)	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 16:57
-	9	(print\$4 near4 (address near3 label)) and handwritten	USPÄT; US-PGPUB; IBM_TDB	2004/09/23 17:02

-	1	("6081261").PN.	USPAT; US-PGPUB; IBM_TDB	2004/09/23 17:05
-	1	((("6081261").PN.) and print\$4	USPAT; US-PGPUB; IBM_TDB	2004/09/23 17:06
-	0	((("6081261").PN.) and mail\$4	USPAT; US-PGPUB; IBM_TDB	2004/09/23 17:06
-	0	hnadwritten same graph\$4 same digi\$5 same (mail\$3 address label)	USPAT; US-PGPUB; IBM_TDB	2004/09/23 17:07
-	36	handwrit\$4 same graph\$4 same digi\$5 same (mail\$3 address label)	USPAT; US-PGPUB; IBM_TDB	2004/09/23 17:08
-	1	"20020000981"	USPAT; US-PGPUB; IBM_TDB	2004/09/24 11:27
-	1	"20020000981" and (digi\$7 same pen)	USPAT; US-PGPUB; IBM_TDB	2004/09/24 11:30
-	1	"20020000981" and (pen)	USPAT; US-PGPUB; IBM_TDB	2004/09/24 11:36
-	1	"20020000981" and (decod\$4)	USPAT; US-PGPUB; IBM_TDB	2004/09/24 11:40
-	1	"20020000981" and (position same cod\$4 same pattern same decod\$5)	USPAT; US-PGPUB; IBM_TDB	2004/09/24 11:48
-	1	"20020000981" and (position same cod\$4 same pattern)	USPAT; US-PGPUB; IBM_TDB	2004/09/24 12:35
-	1	"20020000981" and computer	USPAT; US-PGPUB; IBM_TDB	2004/09/24 12:38
-	0	"2001/0032033"	USPAT; US-PGPUB; IBM_TDB	2004/09/24 12:38
-	1	"20010032033"	USPAT; US-PGPUB; IBM_TDB	2004/09/24 12:38
-	0	"20010032033" and (computer near2 program)	USPAT; US-PGPUB; IBM_TDB	2004/09/24 12:38
-	1	"20010032033" and (program)	USPAT; US-PGPUB; IBM_TDB	2004/09/24 15:43